INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. V, 703–705 (1971)

# Author Index, Volume V

Aashamar, K.: see Lyso, G., 583
Abdulner, S. F.: Bounds to second-order perturbation energies (particularly dispersion) for excited states, 525
Amos, A. T.: A comment on the super-secular-equation in a symmetry-adapted basis, 699
——: see Woodward, M. R., 387
Andre, J. M., Delhalle, J., Fripiat, J. G., and Leroy, G.: Computation of LCAO wave functions for ground states of polymers and solids, 67
——, and Leroy, G.: All-electron band structure of polyene, 557

Bendazzoli, G. L., Bernardi, F., and Palmieri, P.: Self-consistent molecular orbital calculations on polyatomic molecules: Gaussian approximation for two, 497
Bernardi, F.: see Bendazzoli, G. L., 497
Bhattacharya, A. K.: see Mukherjee, P. K., 647
Boyle, L. L., and Matthews, P. S. C.: The isotropic invariants of fifth-rank Cartesian tensors, 381
Brailsford, D. F., and Hall, G. G.: Symmetry properties of one- and two-electron molecular integrals, 657
Brändas, E.: see Goscinski, O., 131

Cantu, A. A., and Hart-Davis, A.: The optimum projection technique in many-electron treatments, 297
Chang, T. Y.: On the Mavroyannis–Stephen relativistic long-range interaction energy term between optically active molecules, 469
Chirkov, A. K.: see Gubanov, V. A., 513
Čížek, J., and Paldus, J.: Correlation problems in atomic and molecular systems III. Rederivation of the coupled-pair many-electron theory using the traditional quantum chemical methods, 359
Claverie, P.: Theory of intermolecular forces. I. On the inadequacy of the usual Rayleigh–Schrödinger perturbation method for the treatment of intermolecular forces, 273
Coulson, C. A., and Deb, B. M.: On the theoretical foundation of Walsh's rules of molecular geometry in terms of the Hellman–Feynman theorem, 411
Csizmadia, I. G.: see Robb, M. A., 605

Deb, B. M.: see Coulson, C. A., 411
Delhalle, J.: see Andre, J. M., 67
Duff, K. J.: A computational form for Löwdin's alpha function, 111

England, W.: Continuous degeneracy and energy-localization of molecular orbitals, 683

Fripiat, J. G.: see Andre, J. M., 67

Gáspár, R.: Many-electron problems. III. Scaling of the density distributions and the potential fields, 311
Goscinski, O., and Brändas, E.: Padé approximants to physical properties via inner projections, 131
Gubanov, V. A., Pereliaeva, L. A., Chirkov, A. K., Yastchenko, G. N., and Matevosian, R. O.: Electronic absorption spectra for free hydrazyl radicals, their ionic forms and initial hydrazines, 513

Hall, G. G.: see Brailsford, D. F., 657
Harcourt, R. D.: Increased-valence formulae and the bonding of oxygen to haemoglobin, 479
Hart-Davis, A.: see Cantu, A. A., 297
Hearn, D. D.: Frequency distribution of radiation emitted from excited atomic systems, 565

Kaplan, I. G., and Rodimova, O. B.: *Ab initio* calculation of electronic states of the ions $H_4^+$ and $H_5^+$, 669
Kouba, J. E., and Öhrn, Y.: Natural orbital iterations for the ground state of nitric oxide, 539

Laskowski, B., and van Leuven, P.: Theta-function overlap approximation applied to the energy of cyclic polyenes, 235
Laughlin, C.: see Woodward, M. R., 387
Leroy, G.: see Andre, J. M., 67
——: see André, J.-M., 557
Ludeña, E. V.: The electronic correlation problem and loge localization, 395
Lyslo, G., Aashamar, K., and Midtdal, J.: A theoretical investigation of the singly-excited two-electron atomic states $1s2s\ ^3S$ and $1s3s\ ^3S$, 583

Malrieu, J. P.: High orders corrections to the Van der Waals–London forces. I. A model problem: Two interacting hydrogen molecules is the minimal basis set, 435
——: High orders corrections to the Van der Waals–London forces. II. Interaction of two molecules with isotropic polarizabilities, 455
Matevosian, R. O.: see Gubanov, V. A., 513
Matsuoka, O.: Gaussian expansion method for molecular integrals of molecular properties, 1
Matthews, P. S. C.: see Boyle, L. L., 381
Meath, W. J., and Power, E. A.: Angular dependence of the retarded dispersion energy, 549
Midtdal, J.: see Lyslo, G., 583
Moitra, R. K.: see Mukherjee, P. K., 637
Mukherjee, P. K., Moitra, R. K., and Mukherji, A.: A self-consistent variation–perturbation theory for open-shell atomic systems: Calculation of polarizabilities and sheilding factors, 637
——, Bhattacharya, A. K., and Mukherji, A.: Self-consistent calculation of excited $^3P$ state wave functions of atoms, 647
Mukherji. A.: see Mukherjee, P. K., 637
——: see Mukherjee, P. K., 647

Öhrn, Y.: see Kouba, J. E., 539

Paldus, J.: see Čížek, J., 359
Palmieri, P.: see Bendazzoli, G. L., 497
Pereliaeva, L. A.: see Gubanov, V. A., 513
Piela, L.: Perturbational calculation of the exchange forces in the two lowest states of the hydrogen molecule, 85
Power, E. A.: see Meath, W. J., 549
Pullman, B.: see Umans, R. S., 575
Purcell, W. P.: see Sundarum, K., 101

Rodimova, O. B.: see Kaplan, I. G., 669
Robb, M. A., and Csizmadia, I. G.: The generalized separated electron pair model. II. An application to $NH_4^+$, $NH_3$, $NH^{2-}$ and $N^{3-}$, 605
Roby, K. R.: On the theory of electron correlation in atoms and molecules: Relation between cluster expansion theory and the correlated wave functions method, 119

Sannigrahi, A. B.: Effect of semi-empirical parameters on the triplet energy levels and triplet–triplet transition in benzene, 256
Sasaki, F.: see Tanaka, K., 157
——: see Tatewaki, H., 335
Schurr, J. M.: Time-dependent quantum theory I. An absorber in an intense radiation field, 13
——: Time-dependent quantum theory II. Absorption of light by dimers: Quantum theory and classical analogy, 35
——: Time-dependent quantum theory III. Model for vibrational relaxation in crystals, 239
——: Time-dependent quantum theory IV. Effect of lattice relaxation on the optical spectra, 221
Silver, D. M.: Poisson equation for molecular exchange hybrid and Coulomb electron repulsion integrals, 505
Soloman, C. E.: Optimized linear combinations of simple exponentials for atomic systems, 319
Sperber, G.: Analysis of reduced density matrices in the coordinate representation. I. Definitions and basic formulas, 177
——: Analysis of reduced density matrices in the coordinate representation. II. The structure of closed-shell atoms in the restricted Hartree–Fock approximation, 189
Sundarum, K., and Purcell, W. P.: Theoretical study of a 1:1 complex between quinone and hydroquinone, 101

Sureau, A.: Origin of the irrational part contained in the angular numerical factors of matrix elements of the Coulomb operator, 599

Tanaka, K., and Sasaki, F.: Configuration interaction study of X-ray and fast electron scattering factors for light atomic systems, 157
Taketa, H.: see Tatewaki, H., 335
Tatewaki, H., Taketa, H., and Sasaki, F.: On the energy difference between the $^1P$ and $^3P$ states of the beryllium isoelectronic sequence, 335

Umans, R. S., and Pullman, B.: The mechanism of binding of polycyclic aromatic hydrocarbons to nucleic acids: A theoretical investigation, 575

van Leuven, P.: see Laskowski, B., 235

Wang, P. S. C.: see Weinhold, F., 215
Weinhold, F., and Wang, P. S. C.: On a formula of Braun and Rebane for variational bounds to overlap, 215
Woodward, M. R., Amos, A. T., and Laughlin, C.: A perturbed generalized eigenvalue equation for the helium atom. II, 387

Yastchenko, G. N.: see Gubanov, V. A., 513

INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. V, 707–709 (1971)

# Subject Index, Volume V

Absorber in an intense radiation field, 13
Absorption and emission of phonons, 240
  cross-section, 13
  of light by dimers, 35
  of radiation, 13
  spectra, 221
$AH_3$ molecules, 423
$A_2H_2$ molecules, 426
All electron SCF–LCGO–CO computation, 557
Analytic properties of the level-shift function, 18
Approximant, 131
Asymmetric tailing to the blue, 221
  red, 221
Atom *a* (excited state) – atom *b* (ground state), 535
Atomic systems, 565

Band structure of polyene, 557
Beryllium isoelectronic sequence, 335
Binding, 575
Bonding of oxygen to haemoglobin, 479
Bounds to $\epsilon_2$, 526
Braun–Rebane formula, 215

Carcinogenesis, 576
Casimir–Polder, 549
CI calculations, 539
Classical local field theories, 35
Closed-shell atoms, 189
Cluster expansion, 359
  theory, 119
Complex group representations, 657
  polarizability, 35
Configuration interaction, 365, 670
Conflict of symmetry, 657
Connection between the states of the complex and of the non-interacting subsystems, 281
Continuous connection between unperturbed and perturbed states, 293
Correlated wave functions, 119
Correlation problem, 359
Coulomb operator, 599
Coupled-pair many-electron theory, 359
Cut-off frequency, 239

Decay of prepared states, 13
Decoupled-pair many-electron theory, 361
Density matrices, 177
Diagrammatic techniques, 435, 455
Dipole moment, 539
Dispersion, 525
  energy coefficient, 531
  interaction, 535
Dissymmetric chromophore, 469
DNA, 575

Electronic absorption spectra, 513
  correlation problem, 395
  density, 678
Emission spectra, 221
Energy of cyclic polyenes, 235
Equivalent orbitals, 658
Excited states, 35, 525

Fermi hole, 189
Fifth-rank tensors, 381
Force constants, 429
Fourier resolution of the charge density, 315
Fractional parentage coefficients, 675
Free hydrazyl radicals, 513
Frequency dependent complex polarizibilities, 35
  line-width, 221

Gaussian approximation for two-electron integrals, 497
  expansion, 1
Generalized eigenvalue equation, 387
Ground $X^2\pi$ state, 539

*H* (any excited state) – other atom (ground state), 535
Hartree–Fock approximation, 189
  wave functions for the He and Be isoelectronic sequences of ions, 319
Helium, 387
  isoelectronic sequence, 583
Hellman–Feynman theorem, 311, 411
He, Ne, Ar, Kr, Xe, 532
$H_2O$, 411
Hybrid and Coulomb electron repulsion integrals, 505

Hydrocarbons, 575
Hydrogen molecule, 85
Hydroquinone, 101

Increased-valence formula, 479
Induced cascade-phonon emission, 239
Inert gas, 527
Inner projection approach, 525
Intermolecular forces, 435, 455
  interaction, 530
Ions $H_4^+$ and $H_6^+$, 669
Isotropic averaging, 385
  invariants, 381

$K$ index, 577

Laguerre functions, 532
Laplace transform method, 14
Lattice relaxation, 221, 239
LCAO wave functions, 67
Level-shift function, 35
Levi–Cività tensors, 382
Light atomic systems, 157
Line-width, 239
Localization, 576
Localized molecular orbitals, 683
Loge localization, 395
Long-range forces, 526
Loss of integrated intensity of the line, 221
Löwdin's alpha function, 111
Lower bound, 530
Low temperature luminescence of $SO_2$, 239

Many-electron treatments, 297
Mathematical ground state, 273
Mavroyannis–Stephen relativistic long-range interaction energy term, 469
Molecular integrals, 1
  multiplets, 671
  properties, 1
Momentum theorem of the real functions, 311
Monochromatic beam, intense, 13
Multi-centre integrals, 676

Natural orbital iteration, 539
Nitric oxide, 539
Non-linear (in intensity) decay of the initial state in high intensity light beams, 14
Non-relativistic energies, 529
$N$-representability problem, 117

One- and two-electron molecular integrals, 657
Open shell atomic systems, 637
Operator inequalities, 525
Optical rotatory dispersion data, 469
  spectra, 221
Optimum projection technique, 297

Padè, 131
$^1P$ and $^3P$ states, 335
Partitioning technique, 525
Permutation symmetry, 671
Perturbation theory, 387
  calculation of the exchange forces, 85
Phonon emission, 239
Physical ground state, 282
Physically acceptable wave functions, 277
Point symmetry group, 671
Poisson equation for molecular exchange, 505
Polarization phenomena, 385
Polyatomic molecules, 411
Polymers, 67
Probability interpretation, 177
$^3P$ state wave functions, 647

Quinone, 101

Radiation, 565
Radiative damping, 35
Rayleigh–Schrödinger perturbation theory, 436
  method, 273
Retarded dispersion energy, 549
Rotational barrier, 249

Sealed coordinate system, 311
Scaling of the density distributions and the potential fields, 311
Schrödinger's perturbation theory, 526
Second-order perturbation energies, 525
Secular equation, 669
Self-consistent molecular orbital calculation, 497
Semi-empirical, 532
  parameters, 265
Separated electron pair, 605
Singly-excited two-electron atomic states, 583
$S(k)$ values, 533
Slater-type orbitals, 189
Spin density, 539

Statistical theory of atoms, 316
Stepwise vabrational cascade damping, 239
Strongly orthogonal geminals, 605
Sum rule values, 525
Super-secular-equation, 699
Symmetrical direct product, 660
Symmetry adapted basis, 699
group, 657

Theory of electron correlation, 119
intermolecular forces, 273
Theta-function overlap approximation, 235
Time-dependent quantum theory, 13, 35
221, 239
Total energy, 539
Triplet energy levels, 265
–triplet transition in benzene, 265
Two-electron sequence, 596

Upper bound, 525

Valence bond method, 669
Van der waals dispersion energies, 525
Variational bounds to overlap, 215
perturbation theory procedure, 583
Variation–perturbation theory, 637
Vibrational relaxation in crystals, 239
Virial theorm, 312

Walsh's rules, 411

X-ray fast electron scattering factors, 157